

## TRACKING WITH PRESCRIBED TRANSIENT PERFORMANCE FOR HYSTERETIC SYSTEMS\*

ACHIM ILCHMANN<sup>†</sup>, HARTMUT LOGEMANN<sup>‡</sup>, AND EUGENE P. RYAN<sup>‡</sup>

**Abstract.** Tracking of reference signals (assumed bounded with essentially bounded derivative) is considered for a class of single-input, single-output, nonlinear systems, described by a functional differential equation with a hysteresis nonlinearity in the input channel. The first control objective is tracking, by the output, with prescribed accuracy: determine a feedback strategy which ensures that, for every reference signal and every system of the underlying class, the tracking error ultimately satisfies the prescribed accuracy requirements. The second objective is guaranteed output transient performance: the graph of the tracking error should be contained in a prescribed set (performance funnel). Under a weak sector boundedness assumption on the hysteresis operator, both objectives are achieved by a memoryless feedback which is universal for the underlying class of systems.

**Key words.** disturbance rejection, functional differential equations, hysteresis, nonlinear systems, tracking, transient behavior

**AMS subject classifications.** 93D15, 34K20, 34C55, 47J40

**DOI.** 10.1137/070691863

**1. Introduction.** We consider a class  $\mathcal{N}$  of nonlinear, single-input, single-output systems modeled by nonlinear functional differential equations of the form

$$(1.1) \quad \dot{y}(t) = f(p(t), (T(y))(t)) + g v(t), \quad y|_{[-h,0]} = y^0 \in C[-h, 0],$$

with input  $u$  and output  $y$ . We assume that the continuous function  $f: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$  is locally Lipschitz in its second argument,  $p \in L^\infty(\mathbb{R}_+)$  ( $\mathbb{R}_+ := [0, \infty)$ ) is a perturbation or disturbance,  $T$  is a causal operator (of a class to be described in due course),  $g \neq 0$  is a real parameter, and  $h \geq 0$  quantifies the “memory” in the system. With reference to Figure 1.1, the main concern is control of a cascade consisting of a hysteresis operator  $\Phi$  (with properties to be defined in section 2) and a nonlinear system  $(f, p, T, g) \in \mathcal{N}$ :

$$(1.2) \quad \dot{y}(t) = f(p(t), (T(y))(t)) + g (\Phi(u))(t), \quad y|_{[-h,0]} = y^0 \in C[-h, 0].$$

We remark that, in a systems and control context, hysteretic effects have received increasing attention in recent years: applications include passivity-based control of hysteresis in smart actuators [5], inverse compensation of hysteresis [13, 20, 21], integral control in the presence of hysteretic actuators [16], stability of hysteretic feedback systems [17, 18], and positioning control problems using piezoelectric actuators [4].

In the present paper, the primary control objective is tracking with prescribed accuracy: given  $\lambda > 0$  (arbitrarily small), determine a single feedback strategy which ensures that, for every  $(f, p, T, g) \in \mathcal{N}$ , every admissible  $\Phi$ , and every reference signal  $r \in W^{1,\infty}(\mathbb{R}_+)$ , the tracking error  $e = y - r$  is ultimately bounded by  $\lambda$  (that is,  $|e(t)| < \lambda$  for all  $t$  sufficiently large or, equivalently,  $\limsup_{t \rightarrow \infty} |e(t)| < \lambda$ ). The

---

\*Received by the editors May 15, 2007; accepted for publication (in revised form) June 19, 2010; published electronically September 7, 2010. This research was supported by the UK Engineering & Physical Sciences Research Council (grant GR/S94582/01).

<http://www.siam.org/journals/sicon/48-7/69186.html>

<sup>†</sup>Institute of Mathematics, Technical University Ilmenau, Weimarer Straße 25, 98693 Ilmenau, DE (achim.ilchmann@tu-ilmenau.de).

<sup>‡</sup>Department of Mathematical Sciences, University of Bath, Claverton Down, Bath BA2 7AY, UK (hl@maths.bath.ac.uk, epr@maths.bath.ac.uk).





FIG. 1.1. System with input hysteresis.

FIG. 1.2. Performance funnel  $F_\beta$ .

second objective is guaranteed output transient performance: for some prescribed function  $\beta: [0, \infty) \rightarrow [0, \infty)$ , the tracking error  $e$  is required to satisfy  $\beta(t)|e(t)| < 1$  for all  $t \geq 0$ . Under mild assumptions on the operators  $T$  and  $\Phi$  (including, in particular, a weak sector boundedness condition for  $\Phi$ ), both objectives are achieved by a memoryless feedback of the form  $u(t) = \nu(k(t))e(t)$ , with  $k(t) = \alpha(\beta(t)|e(t)|)$  (for suitably chosen functions  $\alpha$  and  $\nu$ ), while maintaining boundedness of the control  $u$  and of the “gain” function  $k$ . If the parameter  $g$  in (1.2) is known to be positive, then the control may take the simplified form  $u(t) = -k(t)e(t)$ .

The issue of tracking with prescribed transient behavior dates back at least to the work of Miller and Davison [19], who—in the context of linear systems—introduced a controller which guarantees the “error to be less than an (arbitrarily small) prespecified constant after an (arbitrarily small) prespecified period of time”: the approach involves a monotonically nondecreasing dynamically generated gain and invokes a piecewise constant switching strategy. In the context of nonlinear systems, the present paper subsumes the Miller and Davison performance objective as a special case and adopts a methodology that is intrinsically different: distinguishing features are a non-dynamically generated and nonmonotone gain and greater flexibility in “shaping” transient behavior.

The essence of the approach of the present paper centers on the concept of a performance funnel, introduced in [8] (with extensions thereof in [9, 10, 11]),

$$(1.3) \quad F_\beta := \{(t, e) \in \mathbb{R}_+ \times \mathbb{R} \mid \beta(t)|e| < 1\}$$

associated with the function  $\beta: \mathbb{R}_+ \rightarrow \mathbb{R}$  (the reciprocal of which determines the funnel boundary); see Figure 1.2. The memoryless feedback, alluded to above, ensures that, for every reference signal  $r \in W^{1,\infty}(\mathbb{R}_+)$ , the tracking error  $e = y - r$  evolves within the funnel  $F_\beta$  and all signals are bounded. For example, if  $\beta \in W^{1,\infty}(\mathbb{R}_+)$  is chosen so that  $\liminf_{t \rightarrow \infty} \beta(t) \geq 1/\lambda > 0$ , then evolution within the funnel ensures that the first control objective is achieved: other properties may be imposed on  $\beta$  in order to “shape” the transient behavior; for example, if  $\beta$  is chosen as the function  $t \mapsto \min\{t/\tau, 1\}/\lambda$ , then evolution within the funnel ensures that the prescribed tracking accuracy  $\lambda > 0$  is achieved within the prescribed time  $\tau > 0$ . The funnel control methodology has been applied to electric drive systems: experimental results are reported in [12].

The paper is structured as follows. Section 2 first makes precise the class  $\mathcal{N}$  of nonlinear systems and the class of admissible hysteresis operators which constitute the cascades of the form shown in Figure 1.1 underlying the paper: a prototype subclass of linear retarded systems illustrates the former system class; explicit constructions of backlash, Preisach, and Prandtl operators serve to illustrate the latter hysteresis class. Then, we proceed to elucidate the concept of a performance funnel and to formulate the associated control problem. Section 2 terminates with a description of the proposed memoryless feedback control. Section 3 addresses the fundamental question of well posedness of the closed-loop system. This question is answered in the affirmative in Theorem 3.1. Section 4 contains the main results of the paper: Theorem 4.1 establishes that the proposed feedback structure ensures attainment of the control objectives of asymptotic tracking with prescribed accuracy and transient behavior; Corollary 4.1 identifies an additional assumption on the input hysteresis under which rejection of continuous and bounded input disturbances is achieved; Corollary 4.3 highlights a simplified control structure applicable to cases wherein the sign of the nonzero system parameter  $g$  is known a priori. Finally, in section 5, a problem of tracking with disturbance rejection is considered—in a context of second-order hysteretic systems and reference signals of class  $W^{2,\infty}(\mathbb{R}_+)$ —and resolved via an application of Theorem 3.1 and Corollary 4.3. Some technicalities are relegated to three Appendices, including the proof of Theorem 3.1 which is provided in Appendix 3.

*Notation and terminology.* Set  $\mathbb{R}_+ := [0, \infty)$  and  $\mathbb{C}_+ := \{s \in \mathbb{C} \mid \operatorname{Re} s \geq 0\}$  (the *closed* right-half real line and the *closed* right-half complex plane, respectively). Let  $I \subset \mathbb{R}_+$  be an interval. We denote the space of continuous functions  $I \rightarrow \mathbb{R}^n$  by  $C(I, \mathbb{R}^n)$ : if  $I = [a, b]$  or  $I = [a, b)$  and  $n = 1$ , then we simply write  $C[a, b]$  or  $C[a, b)$ . Moreover,  $BV[a, b]$  denotes the space of real-valued functions of bounded variation defined on  $[a, b]$ . For  $h, t \in \mathbb{R}_+$ ,  $w \in C[-h, t]$ ,  $\tau > t$ , and  $\delta > 0$ , define

$$\mathcal{C}(w; h, t, \tau, \delta) := \{x \in C[-h, \tau] \mid x|_{[-h, t]} = w, |x(s) - w(t)| \leq \delta \ \forall s \in [t, \tau]\}.$$

The space of essentially bounded (respectively, locally essentially bounded) measurable functions  $I \rightarrow \mathbb{R}$  is denoted by  $L^\infty(I)$  (respectively,  $L_{\text{loc}}^\infty(I)$ ). The space of locally absolutely continuous bounded functions  $I \rightarrow \mathbb{R}$  with essentially bounded derivative is denoted by  $W^{1,\infty}(I)$ : the space of continuously differentiable bounded functions  $I \rightarrow \mathbb{R}$  with locally absolutely continuous bounded first derivative and essentially bounded second derivative is denoted by  $W^{2,\infty}(I)$ . An operator  $S: C[-h, \infty) \rightarrow L_{\text{loc}}^\infty(\mathbb{R}_+)$ ,  $h \geq 0$ , is *causal* if, and only if, for all  $x, y \in C[-h, \infty)$  and all  $\tau > 0$ ,

$$x|_{[-h, \tau]} = y|_{[-h, \tau]} \implies (S(x))(t) = (S(y))(t) \quad \text{for a.a. } t \in [0, \tau].$$


We will have occasion to give meaning to  $S(x)$ , where  $x \in C(I)$  and  $I$  is a bounded interval of the form  $[-h, a)$  or  $[-h, a]$  with  $0 < a < \infty$ . This we do by showing that  $S$  “localizes,” in a natural way, to an operator  $\tilde{S}: C(I) \rightarrow L_{\text{loc}}^\infty(J)$ , where  $J := I \setminus [-h, 0)$ . For each  $x \in C(I)$  and each  $\sigma \in J$ , define  $x_\sigma \in C[-h, \infty)$  by

$$x_\sigma(t) := \begin{cases} x(t), & t \in [-h, \sigma], \\ x(\sigma), & t > \sigma. \end{cases}$$

By causality, we may define  $\tilde{S}(x) \in L_{\text{loc}}^\infty(J)$  by the property

$$\tilde{S}(x)|_{[0, \sigma]} = S(x_\sigma)|_{[0, \sigma]} \quad \forall \sigma \in J.$$

Henceforth, we will not distinguish notationally between an operator  $S$  and its “localization”  $\tilde{S}$ , the correct interpretation being clear from the context.

FIG. 2.1. System of class  $\mathcal{N}$ .

**2. Formulation of the control problem.** The purpose of this section is to give a precise formulation of the problem.

*Nonlinear system class.* With reference to (1.1), we first define the class of operators  $\mathcal{O}_h$ , parameterized by  $h \geq 0$ , to which  $T$  belongs.

DEFINITION 2.1 (operator class  $\mathcal{O}_h$ ). *An operator  $T$  is deemed to be of class  $\mathcal{O}_h$  if, and only if, the following hold:*

(i)  $T: C[-h, \infty) \rightarrow L_{\text{loc}}^\infty(\mathbb{R}_+)$ .

(ii)  $T$  is a causal operator.

(iii) For all  $t \geq 0$  and all  $w \in C[-h, t]$ , there exist  $\tau > t$ ,  $\delta > 0$ , and  $c_0 > 0$  such that

$$\text{ess-sup}_{s \in [t, \tau]} |(T(x))(s) - (T(y))(s)| \leq c_0 \sup_{s \in [t, \tau]} |x(s) - y(s)| \quad \forall x, y \in \mathcal{C}(w; h, t, \tau, \delta);$$

(iv) For all  $c_1 > 0$ , there exists  $c_2 > 0$  such that, for all  $y \in C[-h, \infty)$ ,

$$\sup_{t \in [-h, \infty)} |y(t)| \leq c_1 \implies \text{ess-sup}_{t \in \mathbb{R}_+} |(T(y))(t)| \leq c_2.$$

In interpreting property (iii) of the operator class  $\mathcal{O}_h$ , recourse should be made to the “localization” procedure outlined previously.

We are now in a position to define the class  $\mathcal{N}$  of nonlinear systems.

DEFINITION 2.2 (system class  $\mathcal{N}$ ). *The class  $\mathcal{N}$  is composed of single-input, single-output, nonlinear systems  $(f, p, T, g)$  of the form (1.1), satisfying the following assumptions:*

(i)  $f: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}$  is continuous and  $f(z, \cdot)$  is locally Lipschitz for every  $z \in \mathbb{R}$ ;

(ii)  $g \in \mathbb{R}$  is nonzero;

(iii)  $p \in L^\infty(\mathbb{R}_+)$ ;

(iv)  $T \in \mathcal{O}_h$ , where  $h \geq 0$ .

With reference to Figure 2.1, a system (1.1) of class  $\mathcal{N}$  can be thought of as an interconnection of two (sub)systems. The dynamical system  $\Lambda_1$ , which can be influenced directly by the system input  $v$ , is also driven by the output  $q$  from the system  $\Lambda_2$ , formulated as a causal operator  $T$  mapping the system output  $y$  to  $q$  (an internal quantity, unavailable for feedback purposes); for example,  $\Lambda_2$  can encompass infinite-dimensional processes (e.g., delays and diffusions) or nonlinear, input-to-state stable systems given by

$$\dot{z}(t) = a(z(t), y(t)), \quad q(t) = c(z(t)), \quad z(0) = z^0 \in \mathbb{R}^m,$$

with locally Lipschitz functions  $a: \mathbb{R}^m \times \mathbb{R} \rightarrow \mathbb{R}^m$  and  $c: \mathbb{R}^m \rightarrow \mathbb{R}$  (for details, see [8]). By way of illustration, in the following we consider a class of linear retarded systems and show that it is contained in  $\mathcal{N}$ .

*Example 2.3.* Let  $h > 0$ , let  $A$  be an  $n \times n$  matrix with entries in  $BV[0, h]$ , and let  $b, c^T \in \mathbb{R}^n$ . Consider the retarded system

$$(2.1a) \quad \dot{x} = dA * x + bv, \quad x|_{[-h, 0]} = x^0 \in C([-h, 0], \mathbb{R}^n),$$

$$(2.1b) \quad y = cx,$$

where  $(dA * x)(t) := \int_0^h dA(\tau)x(t - \tau)$  for all  $t \in \mathbb{R}_+$ . We assume that the system (2.1) satisfies the following two conditions:

- *minimum-phase* condition, i.e.,

$$\det \begin{pmatrix} sI - \hat{A}(s) & -b \\ c & 0 \end{pmatrix} \neq 0 \quad \forall s \in \mathbb{C}_+,$$

where  $\hat{A}(s) := \int_0^h \exp(-s\tau)dA(\tau)$ .

- *relative degree one* condition, i.e.,  $cb \neq 0$ .

It is well known that, under these assumptions, there exists a similarity transformation which takes the system into the form

$$(2.2a) \quad \dot{y} = dA_{11} * y + dA_{12} * z + cbv, \quad y|_{[-h, 0]} = y^0,$$

$$(2.2b) \quad \dot{z} = dA_{21} * y + dA_{22} * z, \quad z|_{[-h, 0]} = z^0,$$

where, by the minimum-phase condition,  $A_{22}$  has the property that

$$(2.3) \quad \det(sI - \hat{A}_{22}(s)) \neq 0 \quad \forall s \in \mathbb{C}_+;$$

see [7, 15] for details. For given  $z^0 \in C([-h, 0], \mathbb{R}^{n-1})$  and given  $\xi \in C[-h, \infty)$ , let  $z(\cdot; z_0, \xi)$  denote the unique solution of the initial-value problem

$$\dot{z} = dA_{22} * z + dA_{21} * \xi, \quad z|_{[-h, 0]} = z^0.$$

Setting

$$T(\xi) := dA_{11} * \xi + dA_{12} * z(\cdot; 0, \xi), \quad p := dA_{12} * z(\cdot; z_0, 0),$$

(2.2a) can be expressed as

$$(2.4) \quad \dot{y} = p + T(y) + cbv, \quad y^0 = cx^0.$$

By a standard result from the theory of retarded functional differential equations (see [6, Corollary 6.1, p. 215]), (2.3) implies that the zero solution of the retarded equation  $\dot{z} = dA_{22} * z$  is exponentially stable, so that there exists  $K > 0$  such that, for all  $z^0 \in C([-h, 0], \mathbb{R}^{n-1})$  and all  $\xi \in C[-h, \infty)$ ,

$$\sup_{t \in [0, \infty)} |z(t; z_0, \xi)| \leq K \left( \sup_{t \in [-h, 0]} |z^0(t)| + \sup_{t \in [-h, \infty)} |\xi(t)| \right).$$

We conclude that  $p$  is bounded and that  $T \in \mathcal{O}_h$ . Consequently, the system given by (2.4) is in the system class  $\mathcal{N}$ .

*Class of input nonlinearities.* Causal operators  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  satisfying some or all of the following conditions will be considered.

**H1.** For all  $t \geq 0$  and all  $w \in C[0, t]$ , there exist  $c_0 > 0$ ,  $\tau > t$  and  $\delta > 0$  such that

$$(2.5) \quad \sup_{s \in [t, \tau]} |(\Phi(u_1))(s) - (\Phi(u_2))(s)| \leq c_0 \sup_{s \in [t, \tau]} |u_1(s) - u_2(s)| \quad \forall u_1, u_2 \in \mathcal{C}(w; 0, t, \tau, \delta).$$

**H2.** For all  $\omega \in (0, \infty]$ , boundedness of  $u \in C[0, \omega]$  implies boundedness of  $\Phi(u)$ .

**H3.** There exist  $c_1 > 0$  and a nondecreasing unbounded function  $\varphi: \mathbb{R}_+ \rightarrow \mathbb{R}_+$  such that, for all  $u \in C(\mathbb{R}_+)$  and all  $t \in \mathbb{R}_+$ ,

$$|u(t)| \geq c_1 \implies \varphi(|u(t)|)|u(t)| \leq u(t)(\Phi(u))(t).$$

The following hypothesis will be invoked only in circumstances wherein the system under consideration is subject to bounded input disturbances.

**H4.** For each bounded  $d \in C(\mathbb{R}_+)$ , there exists  $c_d > 0$  such that

$$|(\Phi(u + d))(t) - (\Phi(u))(t)| \leq c_d \quad \forall u \in C(\mathbb{R}_+) \quad \forall t \in \mathbb{R}_+.$$

Again, in interpreting H1 and H2, recourse should be made to the “localization” procedure outlined at the beginning of this section. A sufficient condition for H1, H2, and H4 to be satisfied is that  $\Phi$  is *Lipschitz continuous* in the sense that there exists a Lipschitz constant  $L \geq 0$  such that

$$\sup_{t \in \mathbb{R}_+} |(\Phi(u_1))(t) - (\Phi(u_2))(t)| \leq L \sup_{t \in \mathbb{R}_+} |u_1(t) - u_2(t)| \quad \forall u_1, u_2 \in C(\mathbb{R}_+).$$

Furthermore, if there exist  $c_1, c_2 > 0$  such that, for all  $u \in C(\mathbb{R}_+)$  and all  $t \in \mathbb{R}_+$ ,

$$|u(t)| \geq c_1 \implies c_2 u^2(t) \leq u(t)(\Phi(u))(t),$$

then H3 holds with  $\varphi$  given by  $\varphi(v) = c_2 v$  for all  $v \in \mathbb{R}_+$ .

We emphasize that many hysteresis operators satisfy conditions H1–H3 (and H4), where we say that  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  is a *hysteresis operator* if, and only if,  $\Phi$  is causal and rate independent. Here *rate independence* means that  $\Phi(u \circ \zeta) = (\Phi u) \circ \zeta$  for every  $u \in C(\mathbb{R}_+)$  and every time transformation  $\zeta$ , where  $\zeta: \mathbb{R}_+ \rightarrow \mathbb{R}_+$  is said to be a *time transformation* if, and only if, it is continuous, nondecreasing, and surjective. While H3 fails to hold for saturating hysteresis, we emphasize that H3 allows for nonlinearities with slow (sublinear) growth: specifically, elements with growth quantified by an arbitrary nondecreasing unbounded function  $\varphi: \mathbb{R}_+ \rightarrow \mathbb{R}_+$ .

We briefly digress to state the following lemma (which will play a role in Corollary 4.1 below). The proof can be found in Appendix 1.

**LEMMA 2.4.** *Let  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  be causal, let  $d \in C(\mathbb{R}_+)$  be bounded, and define the causal operator  $\Phi_d: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  by  $\Phi_d(u) = \Phi(u + d)$  for all  $u \in C(\mathbb{R}_+)$ . Then the following statements hold:*

- (i) *If  $\Phi$  satisfies any of the assumptions H1 or H2, then so does  $\Phi_d$ .*
- (ii) *If  $\Phi$  satisfies H3 and H4, then H3 holds for  $\Phi_d$ .*

In the following, we give examples of hysteresis operators satisfying H1–H4.

*Backlash hysteresis.* A discussion of the *backlash* operator (also called *play* operator) can be found in a number of references; see, for example, [2], [3], [14], and [16].




FIG. 2.2. Backlash hysteresis.

Let  $\sigma \in \mathbb{R}_+$  and introduce the function  $b_\sigma: \mathbb{R}^2 \rightarrow \mathbb{R}$  given by

$$b_\sigma(v_1, v_2) := \max\{v_1 - \sigma, \min\{v_1 + \sigma, v_2\}\} = \begin{cases} v_1 - \sigma, & \text{if } v_2 < v_1 - \sigma, \\ v_2, & \text{if } v_2 \in [v_1 - \sigma, v_1 + \sigma], \\ v_1 + \sigma, & \text{if } v_2 > v_1 + \sigma. \end{cases}$$

Let  $C_{\text{pm}}(\mathbb{R}_+)$  denote the space of continuous piecewise monotone functions defined on  $\mathbb{R}_+$ . For all  $\sigma \in \mathbb{R}_+$  and all  $\xi \in \mathbb{R}$ , we define the operator  $\mathcal{B}_{\sigma, \xi}: C_{\text{pm}}(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  by

$$(\mathcal{B}_{\sigma, \xi}(u))(t) = \begin{cases} b_\sigma(u(0), \xi) & \text{for } t = 0, \\ b_\sigma(u(t), (\mathcal{B}_{\sigma, \xi}(u))(t_i)) & \text{for } t_i < t \leq t_{i+1}, i = 0, 1, 2, \dots, \end{cases}$$

where  $0 = t_0 < t_1 < t_2 < \dots, \lim_{n \rightarrow \infty} t_n = \infty$ , and  $u$  is monotone on each interval  $[t_i, t_{i+1}]$ . We remark that  $\xi$  plays the role of an “initial state.” It is not difficult to show that the definition is independent of the choice of the partition  $(t_i)$ . Figure 2.2 illustrates how  $\mathcal{B}_{\sigma, \xi}$  acts. It is well known that  $\mathcal{B}_{\sigma, \xi}$  extends to a Lipschitz continuous operator on  $C(\mathbb{R}_+)$  (with Lipschitz constant  $L = 1$ ), the so-called backlash operator, which we shall denote by the same symbol  $\mathcal{B}_{\sigma, \xi}$ . It is well known (and easy to check) that  $\mathcal{B}_{\sigma, \xi}$  is a hysteresis operator. By Lipschitz continuity,  $\mathcal{B}_{\sigma, \xi}$  satisfies H1, H2, and H4. It is clear that  $\mathcal{B}_{\sigma, \xi}$  also enjoys property H3. We also remark that the operator  $\mathcal{B}_{\sigma, \xi}$  is in the class  $\mathcal{O}_0$ .

*Preisach and Prandtl hysteresis.* The Preisach operator described below encompasses both backlash and Prandtl operators. It can model complex hysteresis effects: for example, nested loops in input-output characteristics. Let  $\xi: \mathbb{R}_+ \rightarrow \mathbb{R}$  be a compactly supported and globally Lipschitz function with Lipschitz constant 1. Let  $\mu$  be a signed Borel measure on  $\mathbb{R}_+$  such that  $|\mu|(K) < \infty$  for all compact sets  $K \subset \mathbb{R}_+$ , where  $|\mu|$  denotes the total variation of  $\mu$ . Denoting the Lebesgue measure on  $\mathbb{R}$  by  $\mu_L$ , let  $l: \mathbb{R} \times \mathbb{R}_+ \rightarrow \mathbb{R}$  be a locally  $(\mu_L \otimes \mu)$ -integrable function and let  $l_0 \in \mathbb{R}$ . The operator  $\mathcal{P}_\xi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  defined by

$$(2.6) \quad (\mathcal{P}_\xi(u))(t) = \int_0^\infty \int_0^{(\mathcal{B}_{\sigma, \xi(\sigma)}(u))(t)} l(s, \sigma) \mu_L(ds) \mu(d\sigma) + l_0$$

$$\forall u \in C(\mathbb{R}_+) \quad \forall t \in \mathbb{R}_+,$$

is called a *Preisach* operator. This definition of a Preisach operator is equivalent to that adopted in [3, Section 2.4]. It is well known that  $\mathcal{P}_\xi$  is a hysteresis operator (this follows from the fact that  $\mathcal{B}_{\sigma, \xi(\sigma)}$  is a hysteresis operator for every  $\sigma \geq 0$ ). Under the assumption that the measure  $\mu$  is finite and  $l$  is essentially bounded, the operator  $\mathcal{P}_\xi$  is




FIG. 2.3. Example of Prandtl hysteresis.

Lipschitz continuous with Lipschitz constant  $|\mu|(\mathbb{R}_+) \|l\|_\infty$  (see [16]), and thus,  $\mathcal{P}_\xi$  satisfies H1, H2, and H4 (implying that  $\mathcal{P}_\xi$  is also in the class  $\mathcal{O}_0$ ). If, in addition,  $\mu$  and  $l$  are nonnegative,  $\int_0^\infty \sigma \mu(d\sigma) < \infty$  and there exist  $\varepsilon > 0$  and  $\sigma_1, \sigma_2 \geq 0$  with  $\sigma_1 \leq \sigma_2$  such that

$$(2.7) \quad \mu([\sigma_1, \sigma_2]) > 0 \quad \text{and} \quad |s|l(s, \sigma) \geq \varepsilon \quad \text{for a.e. } (s, \sigma) \text{ with } |s| \geq 1/\varepsilon \text{ and } \sigma \in [\sigma_1, \sigma_2],$$

then H3 is also satisfied (a proof of this fact is provided in Appendix 2). Special cases for which (2.7) is satisfied are

- $\mu$  is nonnegative,  $\mu \neq 0$ , and  $\text{ess inf } l > 0$ ;
- $\mu([\sigma_1, \sigma_2]) > 0$  and  $l(s, \sigma)$  is of the form  $l(s, \sigma) = l_1(\sigma)/l_2(s)$ , where  $l_1: \mathbb{R}_+ \rightarrow \mathbb{R}$  and  $l_2: \mathbb{R} \rightarrow \mathbb{R}$  are such that  $\text{ess inf } l_1|_{[\sigma_1, \sigma_2]} > 0$  and  $\text{ess inf } l_2 > 0$ ,  $l_1$  are essentially bounded and there exists  $\kappa > 0$  such that  $l_2(s) \leq \kappa|s|$  for almost all sufficiently large  $|s|$ .

Setting  $l(\cdot, \cdot) = 1$  and  $l_0 = 0$  in (2.6), we obtain the *Prandtl operator*  $\mathcal{P}_\xi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  defined by

$$(2.8) \quad (\mathcal{P}_\xi(u))(t) = \int_0^\infty (\mathcal{B}_{\sigma, \xi(\sigma)}(u))(t) \mu(d\sigma) \quad \forall u \in C(\mathbb{R}_+) \quad \forall t \in \mathbb{R}_+.$$

For  $\xi \equiv 0$  and  $\mu$  given by  $\mu(E) = \int_E \chi_{[0,5]}(\sigma) d\sigma$  (where  $\chi_{[0,5]}$  denotes the indicator function of the interval  $[0, 5]$ ), the Prandtl operator is illustrated in Figure 2.3.

*Control objectives, the performance funnel, and control strategy.* The first control objective is approximate tracking, by the output  $y$  of system (1.2) (illustrated in Figure 1.1), of reference signals  $r \in W^{1,\infty}(\mathbb{R}_+)$ . In particular, for arbitrary  $\gamma \geq 0$  and  $\lambda > 0$ , we seek an output feedback strategy which ensures that, for every  $r \in W^{1,\infty}(\mathbb{R}_+)$  and  $y^0 \in C[-h, 0]$  with  $\gamma|y^0(0) - r(0)| < 1$ , the unique solution of the closed-loop system is bounded and the tracking error  $e(t) = y(t) - r(t)$  is ultimately bounded by  $\lambda$  (that is,  $|e(t)| < \lambda$  for all  $t$  sufficiently large). The second control objective is prescribed transient behavior of the tracking error signal. We capture both objectives in the concept of a performance funnel, introduced in [8] and defined in (1.3), associated with a function  $\beta: \mathbb{R}_+ \rightarrow \mathbb{R}$  (the reciprocal of which determines the funnel boundary) belonging to

$$W_{\gamma,\lambda} := \left\{ \beta \in W^{1,\infty}(\mathbb{R}_+) \mid \beta(0) = \gamma, \beta(s) > 0 \quad \forall s > 0, \liminf_{s \rightarrow \infty} \beta(s) \geq 1/\lambda \right\},$$

with  $\gamma \geq 0$  and  $\lambda > 0$ . The aim is an output feedback strategy ensuring that, for every reference signal  $r \in W^{1,\infty}(\mathbb{R}_+)$  and every  $y^0 \in C[-h, 0]$  with  $\gamma|y^0(0) - r(0)| < 1$ , the



tracking error  $e = y - r$  evolves within the funnel  $F_\beta$  and all signals are bounded. For every  $\gamma \geq 0$ ,  $\lambda > 0$ , and  $\beta \in W_{\gamma,\lambda}$ , evolution within the funnel ensures that the first control objective is achieved: moreover,  $\beta$  can be chosen to influence the transient behavior; for example, reiterating comments in the Introduction, if  $\tau > 0$ ,  $\gamma = 0$ , and  $\beta$  is chosen as the function  $t \mapsto \min\{t/\tau, 1\}/\lambda$ , then evolution within the funnel ensures that the prescribed tracking accuracy  $\lambda > 0$  is achieved within the prescribed time  $\tau > 0$  for all  $y^0 \in C[-h, 0]$  and all  $r \in W^{1,\infty}(\mathbb{R}_+)$ .

*Remark 2.5.* Some elucidation on the role of the parameter  $\gamma \geq 0$  is warranted. In the absence of a priori information on the initial function  $y^0 \in C[-h, 0]$ , we simply set  $\gamma = 0$ . On the other hand, if sufficient a priori information is available to compute an upper bound  $\delta > 0$  for the quantity  $|y^0(0) - r(0)|$ , then any  $\gamma \in [0, 1/\delta)$  may be chosen: in particular, the choice  $0 < \gamma < 1/\delta$  yields a uniform bound, viz.  $\sup_{t \in \mathbb{R}_+} |y(t) - r(t)| \leq 1/\beta^*$ ,  $\beta^* := \inf_{t \in \mathbb{R}_+} \beta(t) > 0$ , on the tracking error associated with the solution  $y$  corresponding to any initial function  $y^0$  and reference signal  $r$  with the property  $\gamma|y^0(0) - r(0)| < 1$ . This observation will play a role in section 5 below. In many situations, a nondecreasing function  $\beta$  is a natural choice, in which case  $\beta^* = \gamma$ .

Let  $\nu: \mathbb{R} \rightarrow \mathbb{R}$  be locally Lipschitz and let  $\alpha: [0, 1) \rightarrow \mathbb{R}_+$  be a locally Lipschitz unbounded injection (for example,  $\alpha: s \mapsto 1/(1-s)$ ). For  $r \in W^{1,\infty}(\mathbb{R}_+)$ ,  $\lambda > 0$ , and  $\beta \in W_{\gamma,\lambda}$ , consider the control strategy

$$(2.9) \quad u(t) = \nu(k(t)) (y(t) - r(t)), \quad k(t) = \alpha(\beta(t) |y(t) - r(t)|).$$

The main contribution of the paper is to show that the feedback (2.9) applied to any cascade (as in Figure 1.1), given by (1.2), achieves the control objectives provided that the function  $\nu$  has the following properties:

$$(2.10) \quad \limsup_{k \rightarrow \infty} \nu(k) = +\infty \quad \text{and} \quad \liminf_{k \rightarrow \infty} \nu(k) = -\infty.$$

A simple example of a function satisfying (2.10) is  $\nu: k \mapsto k \cos k$ . Anticipating Remark 4.2 below, if the sign of  $g$  is known, then the need for  $\nu$  is obviated and the linear function  $k \mapsto -k \operatorname{sgn}(g)$  may be adopted in its place.

The control structure is of a high-gain nature: if the tracking error  $e = y - r$  approaches the funnel boundary (equivalently, if  $\beta|e|$  approaches 1 from below), then the function  $k$  takes values sufficiently large to preclude boundary contact. However, in contrast to classical high-gain adaptive control strategies (see, e.g., [7, 15] and the references therein), the function  $k$  is not monotone and decreases as the tracking error recedes from the funnel boundary.

In view of the nature of the function  $\alpha$ , care must be exercised in interpreting the closed-loop system. This we do in the next section, wherein we show that the closed-loop initial-value problem is well posed.

**3. The closed-loop system.** Let  $(f, p, T, g) \in \mathcal{N}$  and let  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  be a causal operator satisfying H1. Let  $r \in W^{1,\infty}(\mathbb{R}_+)$ ,  $\lambda > 0$ , and  $\beta \in W_{\gamma,\lambda}$ . Let  $\nu: \mathbb{R} \rightarrow \mathbb{R}$  be locally Lipschitz and let  $\alpha: [0, 1) \rightarrow \mathbb{R}_+$  be a locally Lipschitz unbounded injection. The conjunction of the system (1.2) and control (2.9) yields the closed-loop initial-value problem

$$(3.1) \quad \begin{cases} \dot{y}(t) = f(p(t), (T(y))(t)) + g(\Phi(u))(t), & y|_{[-h,0]} = y^0 \in C[-h, 0], \\ u(t) = \nu(k(t))(y(t) - r(t)), \\ k(t) = \alpha(\beta(t)|y(t) - r(t)|). \end{cases}$$

Writing

$$(3.2) \quad \mathcal{D} := \{(t, z) \in \mathbb{R}_+ \times \mathbb{R} \mid \beta(t)|z - r(t)| < 1\},$$

then, by a *solution* of (3.1), we mean a continuous function  $y: I \rightarrow \mathbb{R}$  on some interval  $I$  of the form  $[-h, \rho]$ , with  $0 < \rho < \infty$ , or of the form  $[-h, \omega)$ , with  $0 < \omega \leq \infty$ , such that (a)  $y|_{[-h, 0]} = y^0$  and (b)  $y|_J$ ,  $J := I \setminus [-h, 0)$ , has a graph in  $\mathcal{D}$ , is locally absolutely continuous, and satisfies the differential equation in (3.1) almost everywhere on  $J$ . A solution is *maximal* if, and only if, it has no right extension that is also a solution.

**THEOREM 3.1.** *Let  $(f, p, T, g) \in \mathcal{N}$  and let  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  be a causal operator satisfying H1 and H2. Let  $r \in W^{1, \infty}(\mathbb{R}_+)$ ,  $\gamma \geq 0$ ,  $\lambda > 0$ , and  $\beta \in W_{\gamma, \lambda}$ . Let  $\nu: \mathbb{R} \rightarrow \mathbb{R}$  be locally Lipschitz and let  $\alpha: [0, 1) \rightarrow \mathbb{R}_+$  be a locally Lipschitz unbounded injection. Then, for each  $y^0 \in C[-h, 0]$  with  $\gamma|y^0(0) - r(0)| < 1$ , the initial-value problem (3.1) has a unique maximal solution  $y \in C[-h, \omega)$ . Moreover, if  $\omega < \infty$ , then  $\limsup_{t \uparrow \omega} \beta(t)|y(t) - r(t)| = 1$  (or, equivalently,  $\limsup_{t \uparrow \omega} k(t) = \infty$ ).*

A proof of this theorem is contained in Appendix 3. We emphasize that, in Theorem 3.1, the causal operator  $\Phi$  is required only to satisfy H1 and H2 and the function  $\nu$  is assumed only to be locally Lipschitz. These assumptions are not sufficient to ensure that, for each  $y^0 \in C[-h, 0]$ , the unique maximal solution  $y \in C[-h, \omega)$  is such that  $\omega = \infty$ ; however, if  $\Phi$  is such that H3 also holds and  $\nu$  has properties (2.10), then  $\omega = \infty$ . The latter is the essence of Theorem 4.1 below.

**4. The main result.** We are now in a position to state and prove the main result of the paper, part (ii) of which asserts that the tracking error evolves within the performance funnel (and so the control objectives are achieved) and, moreover, is bounded away from the funnel boundary.

**THEOREM 4.1.** *Let  $(f, p, T, g) \in \mathcal{N}$  and let  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  be causal and such that H1–H3 are satisfied. Let  $\gamma \geq 0$ ,  $\lambda > 0$ , and  $\beta \in W_{\gamma, \lambda}$ . Let  $\nu: \mathbb{R} \rightarrow \mathbb{R}$  be a locally Lipschitz function with properties (2.10) and let  $\alpha: [0, 1) \rightarrow \mathbb{R}_+$  be a locally Lipschitz unbounded injection. For each  $r \in W^{1, \infty}(\mathbb{R}_+)$  and  $y^0 \in C[-h, 0]$  with  $\gamma|y^0(0) - r(0)| < 1$ , the unique maximal solution  $y: [-h, \omega) \rightarrow \mathbb{R}$  of the closed-loop initial-value problem (3.1) is such that*

- (i)  $\omega = \infty$ ;
- (ii) *there exists  $\varepsilon \in (0, 1)$  such that  $\beta(t)|y(t) - r(t)| \leq 1 - \varepsilon$  for all  $t \in \mathbb{R}_+$ ;*
- (iii) *the continuous functions  $u, \Phi(u): \mathbb{R}_+ \rightarrow \mathbb{R}$ , and  $k: \mathbb{R}_+ \rightarrow \mathbb{R}_+$  are bounded.*

*Proof.* Let  $r \in W^{1, \infty}(\mathbb{R}_+)$  and  $y^0 \in C[-h, 0]$  be such that  $\gamma|y^0(0) - r(0)| < 1$ . An application of Theorem 3.1 establishes the existence of a unique maximal solution  $y \in C[0, \omega)$  of (3.1), with  $0 < \omega \leq \infty$ . Since  $(t, y(t)) \in \mathcal{D}$  for all  $t \in [0, \omega)$  and  $r$  is bounded, it follows from (3.2) that  $y$  is bounded. Writing

$$e(t) = y(t) - r(t), \quad k(t) = \alpha(\beta(t)|e(t)|), \quad u(t) = \nu(k(t))e(t) \quad \forall t \in [0, \omega),$$

we have  $\beta(t)|e(t)| < 1$  for all  $t \in [0, \omega)$  and, since  $y$  and  $r$  are bounded, the function  $e = y - r$  is bounded. We claim that it is sufficient to show that  $k$  is bounded. Indeed, boundedness of  $k$  implies the existence of a constant  $\varepsilon > 0$  such that  $\beta(t)|e(t)| \leq 1 - \varepsilon$  for all  $t \in [0, \omega)$ . By the second assertion of Theorem 3.1, it then follows that  $\omega = \infty$ . Moreover, boundedness of  $e$  and  $k$  yields boundedness of  $u = \nu(k)e$  whence, by property H2 of  $\Phi$ , boundedness of  $\Phi(u)$ .

It remains to show that  $k$  is bounded. To this end, note that, by property (iv) of the operator class  $\mathcal{O}_h$  (see Definition 2.1) and the boundedness of  $y$ , the function

$T(y)$  is bounded. Moreover,

$$\dot{e}(t) = f(p(t), (T(y))(t)) + g(\Phi(u))(t) - \dot{r}(t), \quad \text{for a.a. } t \in [0, \omega].$$

By continuity of  $f$ , boundedness of  $T(y)$  and  $e$ , and essential boundedness of  $p$  and  $\dot{r}$ , there exists  $c_0 > 0$  such that

$$(4.1) \quad e(t)\dot{e}(t) \leq c_0 + g e(t)(\Phi(u))(t), \quad \text{for a.a. } t \in [0, \omega].$$

Observe that, by boundedness of  $\beta$  and  $e$ , essential boundedness of  $\dot{\beta}$ , and inequality (4.1), there exists  $c_1 > 0$  such that

$$(4.2) \quad \begin{aligned} \frac{d}{dt}(\beta(t)e(t))^2 &= 2\beta(t)\dot{\beta}(t)e^2(t) + 2\beta^2(t)e(t)\dot{e}(t) \\ &\leq c_1(1 + g e(t)(\Phi(u))(t)), \quad \text{for a.a. } t \in [0, \omega]. \end{aligned}$$

Next, we show that  $k$  is bounded. By properties (2.10) of  $\nu$ , there exists a strictly increasing unbounded sequence  $(k_n)_{n \in \mathbb{N}}$ , with  $k_n > \max\{k(0), \alpha(1/2)\}$  for all  $n \in \mathbb{N}$ , such that  $(g\nu(k_n))$  is a strictly decreasing unbounded sequence, with  $g\nu(k_n) < 0$  for all  $n \in \mathbb{N}$ . Seeking a contradiction, suppose that  $k$  is unbounded. For each  $n \in \mathbb{N}$ , define

$$\tau_n := \inf\{t \in [0, \omega] \mid k(t) = k_{n+1}\}, \quad \sigma_n := \sup\{t \in [0, \tau_n] \mid \nu(k(t)) = \nu(k_n)\} < \tau_n,$$

wherein the latter inequality holds since  $|\nu(k(\tau_n))| = |\nu(k_{n+1})| > |\nu(k_n)|$ . Then, the following inequalities hold:

$$(4.3) \quad \left. \begin{aligned} k_n \leq k(t) \quad \text{and} \quad |\nu(k_n)| \leq |\nu(k(t))| \\ \beta(t)|e(t)| = \alpha^{-1}(k(t)) \geq \alpha^{-1}(k_n) > 1/2 \\ |e(t)| \geq 1/(2 \sup_{s \geq 0} \beta(s)) =: c_2 > 0 \end{aligned} \right\} \quad \forall t \in [\sigma_n, \tau_n] \quad \forall n \in \mathbb{N},$$

wherein  $\alpha^{-1}$  denotes the inverse of the bijection  $\alpha: [0, 1) \rightarrow [\alpha(0), \infty)$ . By property H3 of  $\Phi$ , there exist  $c_3 > 0$  and a nondecreasing unbounded function  $\varphi: \mathbb{R}_+ \rightarrow \mathbb{R}_+$  such that

$$|u(t)| \geq c_3 \implies \varphi(|u(t)|)|u(t)| \leq u(t)(\Phi(u))(t).$$

Choose  $N \in \mathbb{N}$  sufficiently large so that  $c_2|\nu(k_N)| \geq c_3$ . By (4.3), it follows that

$$|u(t)| = |\nu(k(t))e(t)| \geq c_2|\nu(k_N)| \geq c_3 \quad \forall t \in [\sigma_n, \tau_n] \quad \forall n > N.$$

Hence,

$$\nu(k(t))e(t)(\Phi(u))(t) = u(t)(\Phi(u))(t) \geq \varphi(|u(t)|)|u(t)| \quad \forall t \in [\sigma_n, \tau_n] \quad \forall n > N,$$

so that

$$(4.4) \quad \nu(k(t))e(t)(\Phi(u))(t) \geq \varphi(|\nu(k(t))e(t)|)|\nu(k(t))e(t)| \quad \forall t \in [\sigma_n, \tau_n] \quad \forall n > N.$$

Since  $g\nu(k(t)) \leq g\nu(k_n) < 0$  for all  $t \in [\sigma_n, \tau_n]$  and all  $n \in \mathbb{N}$ , we may conclude, from (4.3) and (4.4), that

$$\begin{aligned} g e(t)(\Phi(u))(t) &\leq -|g|\varphi(|\nu(k(t))e(t)|)|e(t)| \\ &\leq -|g|c_2\varphi(c_2|\nu(k_n)|), \quad \forall t \in [\sigma_n, \tau_n] \quad \forall n > N, \end{aligned}$$

which, in conjunction with (4.2), yields

$$(4.5) \quad \frac{d}{dt}(\beta(t)e(t))^2 \leq c_1(1 - |g|c_2\varphi(c_2|\nu(k_n)|)) \quad \forall t \in [\sigma_n, \tau_n] \quad \forall n > N.$$

Now fix  $m > N$  sufficiently large so that

$$|g|c_2\varphi(c_2|\nu(k_n)|) > 1.$$

By (4.5), we have

$$(\beta(\tau_m)e(\tau_m))^2 - (\beta(\sigma_m)e(\sigma_m))^2 < 0,$$

and so  $\beta(\tau_m)|e(\tau_m)| < \beta(\sigma_m)|e(\sigma_m)|$ , whence the contradiction

$$0 > \alpha(\beta(\tau_m)|e(\tau_m)|) - \alpha(\beta(\sigma_m)|e(\sigma_m)|) = k(\tau_m) - k(\sigma_m) \geq 0.$$

This proves boundedness of  $k$ , completing the proof.  $\square$

Finally, let us consider the closed-loop system (3.1) in the presence of a bounded continuous input disturbance  $d$ ; that is, we replace (3.1) by

$$(4.6) \quad \begin{cases} \dot{y}(t) = f(p(t), (T(y))(t)) + g(\Phi(u + d))(t), & y|_{[-h, 0]} = y^0 \in C[-h, 0], \\ u(t) = \nu(k(t))(y(t) - r(t)), \\ k(t) = \alpha(\beta(t)|y(t) - r(t)|). \end{cases}$$

The following result shows that, if  $\Phi$  satisfies H1–H4, then the conclusions of Theorem 4.1 remain valid in the presence of bounded continuous input disturbances  $d$ .

**COROLLARY 4.1.** *Let  $(f, p, T, g) \in \mathcal{N}$  and let  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  be causal and such that H1–H4 are satisfied. Let  $\gamma \geq 0$ ,  $\lambda > 0$ , and  $\beta \in W_{\gamma, \lambda}$ . Let  $\nu: \mathbb{R} \rightarrow \mathbb{R}$  be a locally Lipschitz function with properties (2.10) and let  $\alpha: [0, 1) \rightarrow \mathbb{R}_+$  be a locally Lipschitz unbounded injection. Then, for each bounded  $d \in C(\mathbb{R}_+)$ , and each  $r \in W^{1, \infty}(\mathbb{R}_+)$  and  $y^0 \in C[-h, 0]$  with  $\gamma|y^0(0) - r(0)| < 1$ , the unique maximal solution  $y: [-h, \omega) \rightarrow \mathbb{R}$  of the closed-loop initial-value problem (4.6) is such that statements (i)–(iii) of Theorem 4.1 hold.*

The proof of Corollary 4.1 is a straightforward application of Lemma 2.4 and Theorem 4.1.

**Remark 4.2.** Inspection of the proof of Theorem 4.1 reveals that the role of properties (2.10) of  $\nu$  is simply to ensure the existence of a strictly increasing unbounded sequence  $(k_n)$ , with  $k_n > \alpha(1/2)$  for all  $n$ , such that  $(g\nu(k_n))$  is a strictly decreasing unbounded sequence with  $g\nu(k_n) < 0$  for all  $n$ . If  $(f, p, T, g) \in \mathcal{N}$  is such that the sign of  $g$  is known a priori, then the latter property is assured if  $\nu$  is replaced by the linear function  $k \mapsto -k \operatorname{sgn}(g)$ . This observation leads immediately to the following result.

**COROLLARY 4.3.** *Let  $(f, p, T, g) \in \mathcal{N}$  be such that  $g > 0$ . Let  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  be causal and such that H1–H4 are satisfied. Let  $\gamma \geq 0$ ,  $\lambda > 0$ , and  $\beta \in W_{\gamma, \lambda}$ . Let  $\nu: \mathbb{R} \rightarrow \mathbb{R}$ ,  $k \mapsto -k$ , and let  $\alpha: [0, 1) \rightarrow \mathbb{R}_+$  be a locally Lipschitz unbounded injection. Then, for each bounded  $d \in C(\mathbb{R}_+)$ , and each  $r \in W^{1, \infty}(\mathbb{R}_+)$  and  $y^0 \in C[-h, 0]$  with  $\gamma|y^0(0) - r(0)| < 1$ , the unique maximal solution  $y: [-h, \omega) \rightarrow \mathbb{R}$  of the closed-loop initial-value problem (4.6) is such that statements (i)–(iii) of Theorem 4.1 hold.*

**5. Tracking and disturbance rejection for second-order hysteretic systems.** Consider the problem of tracking a reference signal  $\rho \in W^{2, \infty}(\mathbb{R}_+)$  for single-input systems of the following form:

$$(5.1) \quad m\ddot{x} + c\dot{x} + \Psi(x) = \Phi(u + d) + q, \quad x(0) = x^0, \quad \dot{x}(0) = x^1, \quad m > 0,$$

with control input  $t \mapsto u(t) \in \mathbb{R}$ , bounded disturbances  $d \in C(\mathbb{R}_+)$  and  $q \in L^\infty(\mathbb{R}_+)$ , and causal operators  $\Psi$  and  $\Phi$ . In a mechanical context,  $x(t)$  represents displacement at time  $t \in \mathbb{R}_+$ , and  $m, c \in \mathbb{R}$  are the mass and damping constants. The operator  $\Psi$  models a restoring force which may exhibit hysteresis phenomena, a particular example of which is the “hysteretic spring” model discussed in, for example, [1]; the operator  $\Phi$  may model hysteretic actuation (as in, for example, control problems using piezoelectric actuators or smart actuators investigated in, inter alia, [4, 5, 13, 20, 21]). Without loss of generality, we may assume that  $m = 1$ . We also assume that both the displacement  $x(t)$  and velocity  $\dot{x}(t)$  are available for feedback purposes. Finally, we assume that the vector of initial data  $(x^0, \dot{x}^0)$  belongs to a known compactum and, moreover, the vector  $(\rho(0), \dot{\rho}(0))$  also belongs to a known compactum; viz. there exist compact  $X, Y \subset \mathbb{R}^2$  such that

$$(x^0, \dot{x}^0) \in X, \quad (\rho(0), \dot{\rho}(0)) \in Y.$$

Fix  $\lambda > 0$  and  $\eta > 0$ . The control objective is formulated as follows: determine a (time-dependent) feedback strategy which ensures the existence of a constant  $M > 0$  such that, for every  $\rho \in W^{2,\infty}(\mathbb{R}_+)$  with  $(\rho(0), \dot{\rho}(0)) \in Y$ , for all initial data  $(x^0, \dot{x}^0) \in X$  and all bounded disturbances  $d \in C(\mathbb{R}_+)$  and  $q \in L^\infty(\mathbb{R}_+)$ , the closed-loop initial-value problem has unique solution  $x$  on  $\mathbb{R}_+$  and there exists  $\delta \in (0, 1)$  such that the tracking error  $x - \rho$  approaches the interval  $[-\delta\lambda, \delta\lambda]$   $\eta$ -exponentially fast, in the following sense:

$$|x(t) - \rho(t)| \leq M e^{-\eta t} + \delta\lambda \quad \forall t \in \mathbb{R}_+.$$

We proceed to construct a feedback which achieves this objective. Define

$$(5.2) \quad y^* := \max \{ |x^0 - \rho^0 + (x^1 - \rho^1)/\eta| \mid (x^0, \dot{x}^0) \in X, (\rho^0, \dot{\rho}^0) \in Y \}.$$

Let  $\gamma > 0$  be such that  $\gamma < \min\{1/\lambda, 1/y^*\}$ . Let  $\tau > 0$  be arbitrary and define  $\beta \in W_{\gamma,\lambda}$  by

$$(5.3) \quad \beta(t) := \min\{\max\{\gamma\lambda, t/\tau\}, 1\}/\lambda.$$

Observe that  $\beta$  is nondecreasing with  $\min_{t \in \mathbb{R}_+} \beta(t) = \beta(0) = \gamma$  and  $\max_{t \in \mathbb{R}_+} \beta(t) = \beta(\tau) = 1/\lambda$ . Let  $\alpha: [0, 1) \rightarrow \mathbb{R}$  be a locally Lipschitz unbounded injection. Introducing the feedback strategy

$$\begin{aligned} u(t) &= -k(t)(x(t) - \rho(t) + (\dot{x}(t) - \dot{\rho}(t))/\eta), \\ k(t) &= \alpha(\beta(t)|x(t) - \rho(t) + (\dot{x}(t) - \dot{\rho}(t))/\eta|), \end{aligned}$$

we arrive at the closed-loop initial-value problem

$$(5.4) \quad \begin{cases} \ddot{x}(t) + c\dot{x}(t) + (\Psi(x))(t) = (\Phi(u + d))(t) + q(t), & c \in \mathbb{R}, \\ (x(0), \dot{x}(0)) = (x^0, v^0) \in X, \\ u(t) = -k(t)(y(t) - r(t)), & k(t) = \alpha(\beta(t)|y(t) - r(t)|), \\ y(t) = x(t) + \dot{x}(t)/\eta, & r(t) := \rho(t) + (\dot{\rho}(t)/\eta), \quad (\rho(0), \dot{\rho}(0)) \in Y. \end{cases}$$

**THEOREM 5.1.** *Let  $\Psi$  be a causal operator of class  $\mathcal{O}_0$ , and let  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  be a causal operator satisfying (H1)–(H4). Define*

$$M := (x^* + 1/\gamma)e^{\eta\tau}, \quad \text{where } x^* := \max \{ |x^0 - \rho^0| \mid (x^0, v^0) \in X, (\rho^0, \dot{\rho}^0) \in Y \}.$$

For every  $\rho \in W^{2,\infty}(\mathbb{R}_+)$  with  $(\rho(0), \dot{\rho}(0)) \in Y$ ,  $(x^0, v^0) \in X$ ,  $q \in L^\infty(\mathbb{R}_+)$ , and bounded  $d \in C(\mathbb{R}_+)$ , the closed-loop initial-value problem (5.4) has a unique maximal solution  $x: [0, \omega) \rightarrow \mathbb{R}$ . Moreover,

- (i)  $\omega = \infty$ ;
- (ii) there exists  $\delta \in (0, 1)$  such that  $|x(t) - \rho(t)| \leq Me^{-\eta t} + \delta\lambda$  for all  $t \in \mathbb{R}_+$ ;
- (iii) the continuous function  $\dot{x}$  is bounded and  $\limsup_{t \rightarrow \infty} |\dot{x}(t) - \dot{\rho}(t)| < 2\eta\lambda$ ;
- (iv) the continuous functions  $u$ ,  $\Phi(u + d)$ , and  $k$  are bounded.

*Proof.* Let  $\rho \in W^{2,\infty}(\mathbb{R}_+)$  with  $(\rho(0), \dot{\rho}(0)) = (\rho^0, \rho^1) \in Y$ , let  $(x^0, v^0) \in X$ ,  $q \in L^\infty(\mathbb{R}_+)$ , and let  $d \in C(\mathbb{R}_+)$  be bounded. Define the causal operator  $\tilde{T}: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  by

$$(\tilde{T}(y))(t) := e^{-\eta t}x^0 + \eta \int_0^t e^{-\eta(t-s)}y(s)ds \quad \forall t \in \mathbb{R}_+ \quad \forall y \in C(\mathbb{R}_+).$$

It is clear that  $\tilde{T}$  is of class  $\mathcal{O}_0$ ; moreover, since  $\Psi \in \mathcal{O}_0$ , the operator  $T$  given by

$$(T(y))(t) := (\eta - c)(y(t) - (\tilde{T}y)(t)) - (1/\eta)(\Psi(\tilde{T}(y)))(t) \quad \forall t \in \mathbb{R}_+ \quad \forall y \in C(\mathbb{R}_+),$$

is also of class  $\mathcal{O}_0$ . Defining

$$f: \mathbb{R} \times \mathbb{R} \rightarrow \mathbb{R}, \quad (w, z) \mapsto w + z, \quad p(\cdot) := \frac{q(\cdot)}{\eta}, \quad g := \frac{1}{\eta}$$

(in which case  $(f, p, T, g) \in \mathcal{N}$ , with  $g > 0$ , and  $r \in W^{1,\infty}(\mathbb{R}_+)$ ), consider the initial-value problem

$$(5.5) \quad \begin{cases} \dot{y}(t) = f(p(t), (T(y))(t)) + g(\Phi(u + d))(t), & y(0) = y^0 := x^0 + (v^0/\eta) \\ u(t) = -k(t)(y(t) - r(t)), & k(t) = \alpha(\beta(t)|y(t) - r(t)|). \end{cases}$$

Observe that  $\gamma|y^0 - r(0)| \leq \gamma y^* < 1$  and, in the context of problem (5.5), all hypotheses of Theorem 3.1 and Corollary 4.3 are in place.

The initial-value problems (5.4) and (5.5) are equivalent in the sense that, if  $y: [0, \omega) \rightarrow \mathbb{R}$  is a (maximal) solution of (5.5), then  $x: [0, \omega) \rightarrow \mathbb{R}$ ,  $t \mapsto (\tilde{T}(y))(t)$ , is a (maximal) solution of (5.4) and, conversely, if  $x: [0, \omega) \rightarrow \mathbb{R}$  is a (maximal) solution of (5.4), then  $y: [0, \omega) \rightarrow \mathbb{R}$ ,  $t \mapsto x(t) + \dot{x}(t)/\eta$ , is a (maximal) solution of (5.5).

By Theorem 3.1, (5.5) has unique maximal solution  $y: [0, \omega) \rightarrow \mathbb{R}$ , and so  $x: [0, \omega) \rightarrow \mathbb{R}$ ,  $t \mapsto (\tilde{T}(y))(t)$  is the unique maximal solution of (5.4). By Corollary 4.3,  $\omega = \infty$  and the functions  $u$ ,  $\Phi(u + d)$ , and  $k$  are bounded, thereby establishing assertions (i) and (iv). It remains only to prove assertions (ii) and (iii). By Corollary 4.3, there exists  $\varepsilon > 0$  such that  $\beta(t)|y(t) - r(t)| \leq 1 - \varepsilon =: \delta$  for all  $t \in \mathbb{R}_+$ . Recalling the definition of  $\beta$ , it follows that  $\gamma|y(t) - r(t)| \leq \delta$  for all  $t \in \mathbb{R}_+$ . Since

$$\dot{x}(t) = -\eta x(t) + \eta y(t) \quad \text{and} \quad \dot{\rho}(t) = -\eta \rho(t) + \eta r(t) \quad \forall t \in \mathbb{R}_+,$$

we may infer that

$$|x(t) - \rho(t)| \leq e^{-\eta t}|x^0 - \rho(0)| + \frac{\delta\eta}{\gamma} \int_0^t e^{-\eta(t-s)}ds < x^* + \frac{1}{\gamma} = Me^{-\eta\tau} \quad \forall t \in \mathbb{R}_+,$$

and so, a fortiori,  $|x(t) - \rho(t)| \leq Me^{-\eta t}$  for all  $t \in [0, \tau]$ . Furthermore, since  $|y(t) - r(t)| \leq \delta\lambda$  for all  $t \geq \tau$ , we conclude that

$$|x(t) - \rho(t)| \leq e^{-\eta(t-\tau)}|x(\tau) - \rho(\tau)| + \delta\eta\lambda \int_\tau^t e^{-\eta(t-s)}ds \leq Me^{-\eta t} + \delta\lambda \quad \forall t \geq \tau.$$




FIG. 5.1. Example: Solution  $x$  (solid line) and reference  $\rho$  (dashed line).

Assertion (ii) now follows. Finally,  $|\dot{x}(t) - \dot{\rho}(t)| \leq \eta|x(t) - \rho(t)| + \eta|y(t) - r(t)| \leq \eta Me^{-\eta t} + 2\delta\eta\lambda$  for all  $t \geq \tau$ , whence assertion (iii).  $\square$

*Remark 5.1.* The essence of the above proof is first to define the variable  $y(t)$  as an appropriate linear combination, viz.  $x(t) + \dot{x}(t)/\eta$ , of the variables  $x(t)$  and  $\dot{x}(t)$  (assumed available for feedback) and then recast the closed-loop initial value problem in the form of (5.5) to which Theorem 3.1 and Corollary 4.3 may be applied. In particular, given  $\rho \in W^{2,\infty}(\mathbb{R}_+)$  and defining  $r := \rho + \dot{\rho}/\eta \in W^{1,\infty}$ , the following relation holds:  $y - r = H(D)(x - \rho)$ , where  $D$  is the differential operator and  $H$  is the Hurwitz polynomial  $s \mapsto 1 + s/\eta$ . The approach extends to tracking, with disturbance rejection, of signals  $\rho \in W^{n,\infty}(\mathbb{R}_+)$  for higher-order hysteretic systems in the obvious manner. Consider a generalization of (5.1) of the form  $P(D)x + \Psi(x) = \Phi(u + d) + q$ , where  $P$  is a monic real polynomial of degree  $n$  and  $(x(0), \dot{x}(0), \dots, x^{(n-1)}(0)) \in X \subset \mathbb{R}^n$ . Assume that  $x(t)$  and the derivatives  $\dot{x}(t), \dots, x^{(n-1)}(t)$  are available for feedback and define  $y(t)$  as a linear combination, viz.  $y(t) = x(t) + c_1\dot{x}(t) + \dots + c_n x^{(n-1)}(t)$ , with the property that  $H: s \mapsto 1 + c_1s + \dots + c_ns^{n-1}$  is a Hurwitz polynomial of degree  $n - 1$ . Given  $\rho \in W^{n,\infty}(\mathbb{R}_+)$  with  $(\rho(0), \dot{\rho}(0), \dots, \rho^{(n-1)}(0)) \in Y \subset \mathbb{R}^n$  and defining  $r := H(D)\rho$ , we have the relation  $y - r = H(D)(x - \rho)$ . If  $\eta > 0$  is such that every root of  $H$  has real part less than  $-\eta$ , then the arguments used in establishing Theorem 5.1 apply *mutatis mutandis* to conclude that, under the feedback  $u(t) = -k(t)(y(t) - r(t))$ ,  $k(t) = \alpha(\beta(t)|y(t) - r(t)|)$  and for suitably defined  $M > 0$ , we achieve the performance objective  $|x(t) - \rho(t)| \leq Me^{-\eta t} + \delta\lambda$  for all  $t \in \mathbb{R}_+$  (while maintaining boundedness of all signals). The proof of this intuitively clear generalization is routine and is therefore omitted.

*Example 5.2.* For purposes of illustration, consider system (5.4) with

$$m = 1, \quad c = 0, \quad d = \frac{\sin}{2}, \quad q = \frac{\cos}{2}, \quad \Psi = \mathcal{B}_{\frac{1}{2},0}, \quad \Phi = \mathcal{P}_0,$$

where  $\mathcal{B}_{\frac{1}{2},0}$  is the backlash operator (with  $\sigma = 1/2$  and  $\xi = 0$ ) illustrated in Figure 2.2, and  $\mathcal{P}_0$  is the Prandtl operator, given by (2.8) with  $\xi = 0$  and  $\mu(E) := \int_E \chi_{[0,5]}(\rho) d\rho$ , illustrated in Figure 2.3. Assume that  $X = Y = [-1, 1] \times [-1, 1]$ . For the function  $\alpha$ , we take  $s \mapsto 1/(1 - s)$ . Adopting the performance parameter values  $\lambda = 0.02$  and  $\eta = 1$ , we have  $x^* = 2$  and  $y^* = 4$ . Choosing  $\gamma = 1/4$  yields  $M = 6e^\tau$  and so, by Theorem 5.1, for all  $(x^0, v^0) \in X$  and  $\rho \in W^{2,\infty}(\mathbb{R}_+)$  with  $(\rho(0), \dot{\rho}(0)) \in Y$ , the unique global solution of the closed-loop system has the property that  $d_\lambda(x(t) - \rho(t)) \leq Me^{-t}$ . Figure 5.1 depicts the (MATLAB generated) solution  $x$  (solid line) for  $\tau = 1$ ,  $\rho: t \mapsto 1 + (\sin(t/2))/2$  (dashed line) and initial data  $x^0 = 0 = v^0$ .

**6. Appendix 1: Proof of Lemma 2.4.** To facilitate the proof, we first state the following remark.

*Remark 6.1.* Assume that the operator  $\Phi: C(\mathbb{R}_+) \rightarrow C(\mathbb{R}_+)$  is causal,  $t \geq 0$ , and  $w \in C[0, t]$ . Furthermore, assume that there exist  $c_0 > 0$ ,  $\tau > t$ , and  $\delta > 0$  such that

$$\sup_{s \in [t, \tau]} |(\Phi(v_1))(s) - (\Phi(v_2))(s)| \leq c_0 \sup_{s \in [t, \tau]} |v_1(s) - v_2(s)| \quad \forall v_1, v_2 \in \mathcal{C}(w; 0, t, \tau, \delta).$$

Then it follows easily from the causality of  $\Phi$  that, for every  $\sigma \in (t, \tau]$ ,

$$\sup_{s \in [t, \sigma]} |(\Phi(v_1))(s) - (\Phi(v_2))(s)| \leq c_0 \sup_{s \in [t, \sigma]} |v_1(s) - v_2(s)| \quad \forall v_1, v_2 \in \mathcal{C}(w; 0, t, \sigma, \delta).$$

As a consequence, if  $\Phi$  satisfies H1, then inequality (2.5) holds with  $\tau$  replaced by  $\sigma$  for every  $\sigma \in (t, \tau]$ .

*Proof of Lemma 2.4.* (i) It is clear that  $\Phi_d$  satisfies H2 if  $\Phi$  does so. Assume that  $\Phi$  satisfies H1 and let  $t \geq 0$  and  $w \in C[0, t]$ . We obtain from H1 (with  $w$  replaced by  $w + d$ ) that there exist  $c_0 > 0$ ,  $\tau > t$ , and  $\delta > 0$  such that

$$(6.1) \quad \sup_{s \in [t, \tau]} |(\Phi(v_1))(s) - (\Phi(v_2))(s)| \leq c_0 \sup_{s \in [t, \tau]} |v_1(s) - v_2(s)| \quad \forall v_1, v_2 \in \mathcal{C}(w + d; 0, t, \tau, \delta).$$

Choosing  $\sigma \in (t, \tau]$  such that  $|d(t) - d(s)| \leq \delta/2$  for all  $s \in [t, \sigma]$ , it follows that

$$u_1 + d, u_2 + d \in \mathcal{C}(w; 0, t, \sigma, \delta) \quad \forall u_1, u_2 \in \mathcal{C}(w; 0, t, \sigma, \delta/2).$$

Hence, using Remark 6.1, we conclude that, for all  $u_1, u_2 \in \mathcal{C}(w; 0, t, \sigma, \delta/2)$ ,

$$\begin{aligned} \sup_{s \in [t, \sigma]} |(\Phi_d(u_1))(s) - (\Phi_d(u_2))(s)| &= \sup_{s \in [t, \sigma]} |(\Phi(u_1 + d))(s) - (\Phi(u_2 + d))(s)| \\ &\leq c_0 \sup_{s \in [t, \sigma]} |u_1(s) - u_2(s)|, \end{aligned}$$

showing that  $\Phi_d$  satisfies H1 with  $\tau$  and  $\delta$  replaced by  $\sigma$  and  $\delta/2$ , respectively.

(ii) Assume that  $\Phi$  satisfies H3 and H4. It then follows that there exist constants  $c_1 > 0$  and  $c_d > 0$  and a nondecreasing unbounded function  $\varphi: \mathbb{R}_+ \rightarrow \mathbb{R}_+$  such that, for all  $u \in C(\mathbb{R}_+)$  and all  $t \in \mathbb{R}_+$  with  $|u(t)| \geq c_1$ ,

$$\begin{aligned} u(t)\Phi_d(u(t)) &= u(t)\Phi(u(t)) + u(t)((\Phi(u + d))(t) - (\Phi(u))(t)) \\ &\geq \varphi(|u(t)|)|u(t)| - c_d|u(t)| = \varphi(|u(t)|)(1 - c_d/\varphi(|u(t)|))|u(t)|. \end{aligned}$$

Choosing  $c_2 \geq c_1$  such that  $c_d/\varphi(v) \leq 1/2$  for all  $v \geq c_2$ , it follows that, for all  $u \in C(\mathbb{R}_+)$  and all  $t \in \mathbb{R}_+$ ,

$$|u(t)| \geq c_2 \implies (1/2)\varphi(|u(t)|)|u(t)| \leq u(t)(\Phi_d(u))(t),$$

showing that  $\Phi_d$  satisfies H3.  $\square$



**7. Appendix 2: Property H3 of the Preisach operator.**

PROPOSITION 7.1. *Let  $\mathcal{P}_\xi$  be the Preisach operator defined in (2.6). Assume that the measure  $\mu$  is nonnegative, finite, and  $\int_0^\infty \sigma \mu(d\sigma) < \infty$  and that  $l$  is nonnegative and essentially bounded. Moreover, assume that there exist  $\varepsilon > 0$  and  $\sigma_1, \sigma_2 \geq 0$  with  $\sigma_1 \leq \sigma_2$  such that*

$$\mu([\sigma_1, \sigma_2]) > 0 \quad \text{and} \quad |s|l(s, \sigma) \geq \varepsilon \text{ for a.e. } (s, \sigma) \text{ with } |s| \geq 1/\varepsilon \text{ and } \sigma \in [\sigma_1, \sigma_2].$$

Then  $\mathcal{P}_\xi$  satisfies H3.

*Proof.* Note initially that, by the definition of the backlash operator, we have

$$(\mathcal{B}_{\sigma, \xi(\sigma)}(u))(t) \in [u(t) - \sigma, u(t) + \sigma] \quad \forall u \in C(\mathbb{R}_+) \quad \forall t \in \mathbb{R}_+ \quad \forall \sigma \in \mathbb{R}_+.$$

Set

$$b_0 := \mu([\sigma_1, \sigma_2]), \quad b_1 := \text{ess sup}_{(s, \sigma) \in \mathbb{R} \times \mathbb{R}_+} l(s, \sigma), \quad b_2 := \int_0^\infty \sigma \mu(d\sigma).$$

Let  $u \in C(\mathbb{R}_+)$  and  $t \in \mathbb{R}_+$ .

Case 1. Assume that  $u(t) \geq \sigma_2 + 1/\varepsilon$ . Writing  $E_1 = [0, u(t)]$  and  $E_2 = (u(t), \infty)$ , it follows that

$$\begin{aligned} (\mathcal{P}_\xi(u))(t) &\geq \left( \int_{E_1} + \int_{E_2} \right) \int_0^{u(t)-\sigma} l(s, \sigma) \mu_L(ds) \mu(d\sigma) - |l_0| \\ &\geq \int_{[\sigma_1, \sigma_2]} \int_{1/\varepsilon}^{u(t)-\sigma_2} l(s, \sigma) \mu_L(ds) \mu(d\sigma) + b_1 \int_{E_2} (u(t) - \sigma) \mu(d\sigma) - |l_0| \\ &\geq \varepsilon \int_{[\sigma_1, \sigma_2]} \int_{1/\varepsilon}^{u(t)-\sigma_2} (1/s) \mu_L(ds) \mu(d\sigma) - b_1 b_2 - |l_0| \\ &= \varepsilon b_0 (\log(u(t) - \sigma_2) + \log \varepsilon) - b_1 b_2 - |l_0|. \end{aligned}$$

Choosing  $c \geq \sigma_2 + 1/\varepsilon$  sufficiently large so that

$$\varepsilon b_0 (\log(c - \sigma_2) + \log \varepsilon) - b_1 b_2 - |l_0| \geq (\varepsilon/2) b_0 \log(c - \sigma_2),$$

we may conclude that

$$(7.1) \quad u(t) \geq c \implies (\mathcal{P}_\xi(u))(t) \geq (\varepsilon/2) b_0 \log(u(t) - \sigma_2),$$

Case 2. Now assume that  $u(t) \leq -(\sigma_2 + 1/\varepsilon)$ . Writing  $E_1 = [0, -u(t)]$  and  $E_2 = (-u(t), \infty)$ , it follows that

$$\begin{aligned} (\mathcal{P}_\xi(u))(t) &\leq \left( \int_{E_1} + \int_{E_2} \right) \int_0^{u(t)+\sigma} l(s, \sigma) \mu_L(ds) \mu(d\sigma) + |l_0| \\ &\leq \int_{[\sigma_1, \sigma_2]} \int_{-1/\varepsilon}^{u(t)+\sigma_2} l(s, \sigma) \mu_L(ds) \mu(d\sigma) + b_1 \int_{E_2} (u(t) + \sigma) \mu(d\sigma) + |l_0| \\ &\leq \varepsilon \int_{[\sigma_1, \sigma_2]} \int_{-1/\varepsilon}^{u(t)+\sigma_2} (1/|s|) \mu_L(ds) \mu(d\sigma) + b_1 b_2 + |l_0| \\ &= -\varepsilon b_0 (\log(-u(t) - \sigma_2) + \log \varepsilon) + b_1 b_2 + |l_0|. \end{aligned}$$

Choosing  $c$  as in Case 1, we may conclude that

$$(7.2) \quad u(t) \leq -c \implies (\mathcal{P}_\xi(u))(t) \leq -(\varepsilon/2)b_0 \log(-u(t) - \sigma_2).$$

Defining a nondecreasing unbounded function  $\varphi: \mathbb{R}_+ \rightarrow \mathbb{R}_+$  by

$$\varphi(v) := \begin{cases} 0, & v \in [0, \sigma_2 + 1], \\ (\varepsilon/2)b_0 \log(v - \sigma_2), & v > \sigma_2 + 1, \end{cases}$$

it follows from (7.1) and (7.2) that

$$|u(t)| \geq c + 1 \implies u(t)(\mathcal{P}_\xi(u))(t) \geq |u(t)|\varphi(u(t)),$$

showing that H3 holds.  $\square$

**8. Appendix 3: Proof of Theorem 3.1.** To facilitate the proof, we first consider, with notation and assumptions as in section 3, the following family of initial-value problems, parameterized by  $t_0 \in \mathbb{R}_+$ :

$$(8.1) \quad \begin{cases} \dot{y}(t) = f(p(t), ((y)(t)) + g(\Phi(u))(t), & y|_{[-h, t_0]} = y^0 \in C[-h, t_0], \\ u(t) = \nu(k(t))(y(t) - r(t)), \\ k(t) = \alpha(\beta(t)|y(t) - r(t)|). \end{cases}$$

We will prove the following theorem, of which Theorem 3.1 is a special case ( $t_0 = 0$ ).

**THEOREM 8.1.** *Under the assumptions of Theorem 3.1, for every  $t_0 \in \mathbb{R}_+$  and every  $y^0 \in C[-h, t_0]$  with  $(t, y^0(t)) \in \mathcal{D}$  for all  $t \in [0, t_0]$ , the initial-value problem (8.1) has a unique maximal solution  $y \in C[-h, \omega)$ . Moreover, if  $\omega < \infty$ , then  $\limsup_{t \uparrow \omega} \beta(t)|y(t) - r(t)| = 1$  (or, equivalently,  $\limsup_{t \uparrow \omega} k(t) = \infty$ ).*

By a solution of (8.1) we mean the obvious generalization of the earlier concept: a continuous function  $y: I \rightarrow \mathbb{R}$  on an interval of the form  $[-h, \rho]$ , with  $t_0 < \rho < \infty$ , or of the form  $[-h, \omega)$ , with  $t_0 < \omega \leq \infty$ , such that (a)  $y|_{[-h, t_0]} = y^0$  and (b)  $y|_J$ ,  $J := I \setminus [-h, t_0]$ , is a locally absolutely continuous function, with graph in  $\mathcal{D}$  and satisfying the differential equation in (8.1) almost everywhere on  $J$ .

*Proof of Theorem 8.1.* Let  $t_0 \in \mathbb{R}_+$  and  $y^0 \in C[-h, t_0]$  be such that  $(t, y^0(t)) \in \mathcal{D}$  for all  $t \in [0, t_0]$ .

**STEP 1.** First, we establish the existence of a unique solution on an interval  $[-h, \rho]$  with  $\rho > t_0$  sufficiently close to  $t_0$ . By property (iii) of the operator class  $\mathcal{O}_h$ , there exist  $\tau_0 > t_0$ ,  $\delta_0 > 0$ , and  $c_0 > 0$  such that

$$\begin{aligned} \text{ess-sup}_{t \in [t_0, \tau_0]} |(T(y_1))(t) - (T(y_2))(t)| \\ \leq c_0 \max_{t \in [t_0, \tau_0]} |y_1(t) - y_2(t)| \quad \forall y_1, y_2 \in \mathcal{C}(y^0; h, t_0, \tau_0, \delta_0). \end{aligned}$$

We may assume that  $\delta_0 \in (0, 1)$  and  $\tau_0 - t_0 > 0$  are sufficiently small so that

$$\mathcal{D}_0 := [t_0, \tau_0] \times [y^0(t_0) - \delta_0, y^0(t_0) + \delta_0] \subset \mathcal{D}.$$

Next, consider the map

$$U: \mathcal{D} \rightarrow \mathbb{R}, \quad (t, z) \mapsto \nu(\alpha(\beta(t)|z - r(t)|))(z - r(t)).$$

Since  $\alpha$  and  $\nu$  are locally Lipschitz and  $\beta$  and  $r$  are bounded, it follows that there exists  $c_1 > 0$  such that

$$|U(t, z_1) - U(t, z_2)| \leq c_1 |z_1 - z_2| \quad \forall (t, z_1), (t, z_2) \in \mathcal{D}_0.$$

For each  $\rho \in (t_0, \tau_0]$ , define  $\mathcal{C}_\rho^0 := \mathcal{C}(y^0; h, t_0, \rho, \delta_0)$ . Observe that, if  $y \in \mathcal{C}_\rho^0$ , then  $(t, y(t)) \in \mathcal{D}_0$  for all  $t$  such that  $t_0 \leq t \leq \rho \leq \tau_0$ . Therefore, for each  $\rho \in [t_0, \tau_0]$ , we may define an operator  $\mathbf{U}_\rho : \mathcal{C}_\rho^0 \rightarrow C[0, \rho]$  by

$$(\mathbf{U}_\rho y)(t) := U(t, y(t)) \quad \forall t \in [0, \rho],$$

and record the following fact:

$$(8.2) \quad |(\mathbf{U}_\rho y_1)(t) - (\mathbf{U}_\rho y_2)(t)| \leq c_1 |y_1(t) - y_2(t)| \quad \forall t \in [0, \rho] \quad \forall y_1, y_2 \in \mathcal{C}_\rho^0.$$

Defining  $w \in C[0, t_0]$  by  $w(t) := U(t, y^0(t))$  for all  $t \in [0, t_0]$ , we have, in particular,

$$(\mathbf{U}_\rho y)(t) = w(t) \quad \forall t \in [0, t_0] \quad \forall y \in \mathcal{C}_\rho^0.$$

By hypothesis H1 on  $\Phi$ , there exist  $\tau_1 \in (t_0, \tau_0]$ ,  $\delta_1 \in (0, \delta_0]$ , and  $c_2 > 0$  such that

$$(8.3) \quad \max_{t \in [0, \tau_1]} |(\Phi(v_1))(t) - (\Phi(v_2))(t)| \\ \leq c_2 \max_{t \in [0, \tau_1]} |v_1(t) - v_2(t)| \quad \forall v_1, v_2 \in \mathcal{C}(w; 0, t_0, \tau_1, \delta_1).$$

Furthermore, by continuity of  $U$ , there exist  $\tau_2 \in (t_0, \tau_1]$  and  $\delta_2 \in (0, \delta_0]$  such that, if  $\rho \in (t_0, \tau_2]$ , then

$$(8.4) \quad \mathbf{U}_\rho y \in \mathcal{C}(w; 0, t_0, \rho, \delta_1) \quad \forall y \in \mathcal{C}(y^0; h, t_0, \rho, \delta_2) \subset \mathcal{C}_\rho^0.$$

For each  $\rho \in (t_0, \tau_2]$ , we define  $\mathcal{C}_\rho := \mathcal{C}(y^0; h, t_0, \rho, \delta_2)$ . Invoking (8.2)–(8.4), we may conclude that there exists  $c_3 > 0$  such that, for every  $\rho \in (t_0, \tau_2]$ ,

$$(8.5) \quad \max_{t \in [0, \rho]} |(\Phi(\mathbf{U}_\rho y_1))(t) - (\Phi(\mathbf{U}_\rho y_2))(t)| \leq c_3 \max_{t \in [0, \rho]} |y_1(t) - y_2(t)| \quad \forall y_1, y_2 \in \mathcal{C}_\rho.$$

Furthermore, as a consequence of (8.5), there exists  $c_4 > 0$  such that, for every  $\rho \in (t_0, \tau_2]$ ,

$$|(\Phi(\mathbf{U}_\rho y))(t)| \leq c_4 \quad \forall t \in [0, \rho] \quad \forall y \in \mathcal{C}_\rho.$$

Equipped with the metric

$$(y_1, y_2) \mapsto \mu_\rho(y_1, y_2) := \max_{t \in [-h, \rho]} |y_1(t) - y_2(t)|,$$

$\mathcal{C}_\rho$  is a complete metric space. For each  $\rho \in (t_0, \tau_2]$ , define the operator  $\mathbf{C}_\rho$  on  $\mathcal{C}_\rho$  by

$$\mathbf{C}_\rho(y)(t) := \begin{cases} y^0(t), & t \in [-h, t_0], \\ y^0(t_0) + \int_{t_0}^t (f(p(s), (T(y))(s)) + g(\Phi(\mathbf{U}_\rho y))(s)) \, ds, & t \in (t_0, \rho]. \end{cases}$$

We proceed to show that there exists  $\rho^* \in (t_0, \tau_2]$  such that, for all  $\rho \in (t_0, \rho^*]$ ,  $\mathbf{C}_\rho(\mathcal{C}_\rho) \subset \mathcal{C}_\rho$  and  $\mathbf{C}_\rho$  is a contraction (and, consequently, for each such  $\rho$ ,  $\mathbf{C}_\rho$  has a unique fixed point). By property (iv) of the operator class  $\mathcal{O}_h$ , there exists  $c_5 > 0$  such that, for every  $\rho \in (t_0, \rho^*]$ ,

$$|(T(y))(t)| \leq c_5, \quad \text{for a.a. } t \in [t_0, \rho] \quad \forall y \in \mathcal{C}_\rho.$$

By the local Lipschitz property of  $f$ , together with essential boundedness of  $p$ , there exists  $c_6 > 0$  such that

$$|f(p(t), x_1) - f(p(t), x_2)| \leq c_6|x_1 - x_2|$$

for a.a.  $t \in [t_0, \tau_2]$  and all  $x_1, x_2 \in \mathbb{R}$  with  $|x_1|, |x_2| \leq c_5$ .

Set  $c_7 := \max\{|f(q, x)| \mid |q| \leq \|p\|_{L^\infty}, |x| \leq c_5\}$  and fix  $\rho^* \in (t_0, \tau_2]$  sufficiently close to  $t_0$  so that

$$(\rho^* - t_0)(c_7 + c_0c_6 + c_3|g| + c_4|g|) \leq \delta_2.$$

Let  $\rho \in (t_0, \rho^*]$  and  $y \in \mathcal{C}_\rho$ . By definition,  $(\mathbf{C}_\rho y)|_{[-h, t_0]} = y^0$  and, moreover,

$$\begin{aligned} |\mathbf{C}_\rho(y)(t) - y^0(t_0)| &\leq \int_{t_0}^\rho |f(p(s), (T(y))(s)) + g(\Phi(\mathbf{U}_\rho y))(s)| ds \\ &\leq (\rho - t_0)(c_7 + c_4|g|) \leq \delta_2 \quad \forall t \in [t_0, \rho]. \end{aligned}$$

Therefore,  $\mathbf{C}_\rho(y) \in \mathcal{C}_\rho$ , establishing that  $\mathbf{C}_\rho(\mathcal{C}_\rho) \subset \mathcal{C}_\rho$  for all  $\rho \in (t_0, \rho^*]$ . Furthermore, for  $\rho \in (t_0, \rho^*]$  and  $y_1, y_2 \in \mathcal{C}_\rho$ ,

$$\begin{aligned} \mu_\rho(\mathbf{C}_\rho(y_1), \mathbf{C}_\rho(y_2)) &= \sup_{t \in [t_0, \rho]} \left| \int_{t_0}^t (f(p(s), (T(y_1))(s)) - f(p(s), (T(y_2))(s))) \right. \\ &\quad \left. + g(\Phi(\mathbf{U}_\rho y_1))(s) - g(\Phi(\mathbf{U}_\rho y_2))(s)) ds \right| \\ &\leq (\rho - t_0) \left( \sup_{t \in [t_0, \rho]} |f(p(t), (T(y_1))(t)) - f(p(t), (T(y_2))(t))| \right. \\ &\quad \left. + |g| \sup_{t \in [t_0, \rho]} |\Phi(\mathbf{U}_\rho y_1)(t) - \Phi(\mathbf{U}_\rho y_2)(t)| \right) \\ &\leq (\rho - t_0)(c_0c_6 + c_3|g|) \mu_\rho(y_1, y_2). \end{aligned}$$

Since  $(\rho - t_0)(c_0c_6 + c_3|g|) \leq \delta_2 < 1$ , it follows that  $\mathbf{C}_\rho: \mathcal{C}_\rho \rightarrow \mathcal{C}_\rho$  is a contraction. Therefore, for each  $\rho \in (0, \rho^*]$ ,  $\mathbf{C}_\rho$  has a unique fixed point  $y \in \mathcal{C}_\rho$  and so (8.1) has a unique solution in  $\mathcal{C}_\rho$ . We emphasize that the uniqueness property is specific to solutions of class  $\mathcal{C}_\rho$ : there may exist other solutions on  $[-h, \rho]$  which are not of class  $\mathcal{C}_\rho$ . However, the following argument establishes the existence of precisely one solution for  $\rho \in (t_0, \rho^*]$  with  $\rho - t_0$  sufficiently small. Let  $\tilde{y}$  be a solution on  $[-h, \tilde{\rho}]$  (not necessarily of class  $\mathcal{C}_{\tilde{\rho}}$ ) for some  $\tilde{\rho} \in (0, \rho^*]$ . Define

$$\Delta := \{t \in [t_0, \tilde{\rho}] \mid |\tilde{y}(t) - y^0(t_0)| = \delta_2\}, \quad \rho := \begin{cases} \inf \Delta, & \Delta \neq \emptyset, \\ \tilde{\rho}, & \Delta = \emptyset. \end{cases}$$

Clearly,  $\rho > t_0$  and  $\tilde{y}|_{[-h, \rho]}$  is in  $\mathcal{C}_\rho$ . Therefore,  $\tilde{y}|_{[-h, \rho]}$  is the unique solution of (8.1) on  $[-h, \rho]$ .

STEP 2. Next, we show that any two solutions must coincide on the intersection of their domains. Let  $y_1 \in C(I_1)$  and  $y_2 \in C(I_2)$  be solutions of (8.1). For contradiction, suppose that there exists  $t \in J := I_1 \cap I_2$  such that  $y_1(t) \neq y_2(t)$ . Let  $t^* := \inf\{t \in J \mid y_1(t) \neq y_2(t)\}$ . Evidently,  $t^* < \sup J$ . By the result in Step 1 above,  $t^* > t_0$ . An

application of the result of Step 1 in the context of an initial-value problem of the form (8.1), with  $t^*$  replacing  $t_0$  and with the function  $y_1|_{[-h, t^*]} \in C[-h, t^*]$  replacing  $y^0$ , yields the existence of a unique solution  $y \in C[-h, \rho]$  for some  $\rho > t^*$ . It follows that  $y_1(t) = y_2(t) = y(t)$  for all  $t \in [-h, \rho] \cap J$ , contradicting the definition of  $t^*$ .

STEP 3. We now establish the existence of a unique maximal solution. Let  $R$  be the set of all  $\rho > t_0$  such that there exists a solution  $y_\rho \in C[-h, \rho]$  of (8.1). By Step 1, we know that  $R \neq \emptyset$ . Let  $\omega := \sup R$  ( $\omega = \infty$  is possible) and define  $y \in C[-h, \omega]$  by the property

$$y|_{[-h, \rho]} = y_\rho \quad \text{for all } \rho \in R.$$

The function  $y$  is well defined since, by Step 2, we have

$$(\rho_1, \rho_2 \in R \wedge \rho_2 \leq \rho_1) \implies y_{\rho_2} = y_{\rho_1}|_{[-h, \rho_2]}.$$

Clearly,  $y$  is a maximal solution of (8.1) and uniqueness follows by Step 2.

STEP 4. Assume that  $\omega < \infty$ . We have to show that  $\limsup_{t \uparrow \omega} \beta(t)|y(t) - r(t)| = 1$ . Seeking a contradiction, suppose that the latter does not hold, in which case  $\limsup_{t \uparrow \omega} \beta(t)|y(t) - r(t)| < 1$ . Then  $k$  is bounded and therefore, since  $y$  is bounded, the function  $u$  is also bounded. By property (iv) of the operator class  $\mathcal{O}_h$ ,  $T(y)$  is essentially bounded and, by property H2,  $\Phi u$  is bounded. From the differential equation in (8.1), it now follows that  $\dot{y}$  is essentially bounded on  $[0, \omega)$ . Therefore,  $y$  is uniformly continuous on  $[-h, \omega)$  and so extends to  $y^* \in C[-h, \omega]$ . Furthermore,

$$\beta(\omega)|y^*(\omega) - r(\omega)| = \lim_{t \uparrow \omega} \beta(t)|y^*(t) - r(t)| = \limsup_{t \uparrow \omega} \beta(t)|y(t) - r(t)| < 1,$$

showing that  $(\omega, y^*(\omega)) \in \mathcal{D}$ . An application of the result in Step 1 in the context of an initial-value problem of the form (8.1), with  $\omega$  replacing  $t_0$  and  $y^*$  replacing  $y^0$ , yields the existence of a unique solution  $y^e \in C[-h, \rho]$  for some  $\rho > \omega$ , with  $y^e|_{[-h, \omega]} = y$ . This contradicts maximality of the solution  $y$ .  $\square$

**Acknowledgment.** We thank our colleague Bayu Jayawardhana for kindly providing Figure 2.3.

#### REFERENCES

- [1] F. AL-BENDER, W. SYMENS, J. SWEVERS, AND H. VAN BRUSSLE, *Theoretical analysis of the dynamic behaviour of hysteresis elements in mechanical system*, Internat. J. Non-Linear Mech., 39 (2004), pp. 1721–1735.
- [2] M. BROKATE, *Hysteresis operators*, in Phase Transitions and Hysteresis, A. Visintin, ed., Springer-Verlag, Berlin, 1994, pp. 1–38.
- [3] M. BROKATE AND J. SPREKELS, *Hysteresis and Phase Transitions*, Springer-Verlag, New York, 1996.
- [4] P. GE AND M. JOUANEH, *Tracking control of a piezoceramic actuator*, IEEE Trans. Contr. Syst. Techn., 4 (1996), pp. 209–216.
- [5] R.B. GORBET, K.A. MORRIS, AND D.W.L. WANG, *Passivity-based stability and control of hysteresis in smart actuators*, IEEE Trans. Contr. Syst. Techn., 9 (2001), pp. 5–16.
- [6] J.K. HALE AND S.M. VERDUYN LUNEL, *Introduction to Functional Differential Equations*, Springer-Verlag, New York, 1993.
- [7] A. ILCHMANN AND H. LOGEMANN, *Adaptive  $\lambda$ -tracking for a class of infinite-dimensional systems*, Systems Control Lett., 34 (1998), pp. 11–21.
- [8] A. ILCHMANN, E.P. RYAN, AND C.J. SANGWIN, *Tracking with prescribed transient behaviour*, ESAIM Control Optim. Calc. Var., 7 (2002), pp. 471–493.
- [9] A. ILCHMANN, E.P. RYAN, AND S. TRENN, *Tracking control: Performance funnels and prescribed transient behaviour*, Systems Control Lett., 54 (2005), pp. 655–670.

- [10] A. ILCHMANN, E.P. RYAN, AND P. TOWNSEND, *Tracking control with prescribed transient behaviour for systems of known relative degree*, Systems Control Lett., 55 (2006), pp. 396–406.
- [11] A. ILCHMANN, E.P. RYAN, AND P. TOWNSEND, *Tracking with prescribed transient behavior for nonlinear systems of known relative degree*, SIAM J. Control Optim., 46 (2007), pp. 210–230.
- [12] A. ILCHMANN AND H. SCHUSTER, *PI-funnel control for two mass systems*, IEEE Trans. Automat. Control, 54 (2009), pp. 918–923.
- [13] R.V. IYER, X. TAN, AND P.S. KRISHNAPRASAD, *Approximate inversion of the Preisach hysteresis operator with application to control of smart actuators*, IEEE Trans. Automat. Control, 50 (2005), pp. 798–810.
- [14] M.A. KRASNOSEL'SKII AND A.V. POKROVSKII, *Systems with Hysteresis*, Springer-Verlag, Berlin, 1989.
- [15] H. LOGEMANN AND A. ILCHMANN, *An adaptive servomechanism for a class of infinite-dimensional systems*, SIAM J. Control Optim., 32 (1994), pp. 917–936.
- [16] H. LOGEMANN AND A.D. MAWBY, *Low-gain integral control of infinite-dimensional regular linear systems subject to input hysteresis*, in Advances in Mathematical Systems Theory, F. Colonius et al., eds., Birkhäuser, Boston, 2001, pp. 255–293.
- [17] H. LOGEMANN AND E.P. RYAN, *Systems with hysteresis in the feedback loop: Existence, regularity and asymptotic behaviour of solutions*, ESAIM Control Optim. Calc. Var., 9 (2003), pp. 169–196.
- [18] H. LOGEMANN, E.P. RYAN, AND I. SHVARTSMAN, *Integral control of infinite-dimensional systems in the presence of hysteresis: An input-output approach*, ESAIM Control Optim. Calc. Var., 13 (2007), pp. 458–483.
- [19] D.E. MILLER AND E.J. DAVISON, *An adaptive controller which provides arbitrarily good transient and steady-state response*, IEEE Trans. Automat. Control, 36 (1991), pp. 68–81.
- [20] G. SONG, J. ZHAO, X. ZHOU, AND J.A. DE ABREU-GARCÍA, *Tracking control of a piezoceramic actuator with hysteresis compensation using inverse Preisach model*, IEEE/ASME Trans. Mechatronics, 10 (2005), pp. 198–209.
- [21] X. TAN, J.S. BARAS, AND P.S. KRISHNAPRASAD, *Control of hysteresis in smart actuators with application to micro-positioning*, Systems Control Lett., 54 (2005), pp. 483–492.