















with neoadjuvant chemoradiation: Results from a prospective study,” *Oncology letters*, vol. 9, no. 6, pp. 2680–2686, 2015.

- [27] F. Chollet *et al.*, “Keras,” <https://github.com/fchollet/keras>, 2015.
- [28] M. Abadi, A. Agarwal, P. Barham, E. Brevdo, Z. Chen, C. Citro, G. S. Corrado, A. Davis, J. Dean, M. Devin, S. Ghemawat, I. Goodfellow, A. Harp, G. Irving, M. Isard, Y. Jia, R. Jozefowicz, L. Kaiser, M. Kudlur, J. Levenberg, D. Mané, R. Monga, S. Moore, D. Murray, C. Olah, M. Schuster, J. Shlens, B. Steiner, I. Sutskever, K. Talwar, P. Tucker, V. Vanhoucke, V. Vasudevan, F. Viégas, O. Vinyals, P. Warden, M. Wattenberg, M. Wicke, Y. Yu, and X. Zheng, “TensorFlow: Large-scale machine learning on heterogeneous systems,” 2015, software available from [tensorflow.org](http://tensorflow.org). [Online]. Available: <https://www.tensorflow.org/>
- [29] T. Dozat, “Incorporating nesterov momentum into adam,” 2016.
- [30] I. J. Goodfellow, J. Shlens, and C. Szegedy, “Explaining and harnessing adversarial examples,” *arXiv preprint arXiv:1412.6572*, 2014.
- [31] A. Katharopoulos and F. Fleuret, “Biased importance sampling for deep neural network training,” *arXiv preprint arXiv:1706.00043*, 2017.